



IFWO

RAW SEQUENCE LISTING

DATE: 08/20/2004

PATENT APPLICATION: US/10/774,147B

TIME: 14:54:19

Input Set : A:\10050-03USA.ST25.txt

Output Set: N:\CRF4\08202004\J774147B.raw

3 <110> APPLICANT: POSTECH Foundation
 4 POSCO
 5 RYU, Sung-Ho
 6 BAE, Yoe-Sik
 7 PARK, Eun-Young
 8 SUH, Pann-Ghill
 10 <120> TITLE OF INVENTION: LEUKOCYTE STIMULATING PEPTIDES
 12 <130> FILE REFERENCE: 10050-03USA
 14 <140> CURRENT APPLICATION NUMBER: US 10/774,147B
 C--> 15 <141> CURRENT FILING DATE: 2004-02-05
 17 <150> PRIOR APPLICATION NUMBER: US 60/445,621
 18 <151> PRIOR FILING DATE: 2003-02-07
 20 <160> NUMBER OF SEQ ID NOS: 36
 22 <170> SOFTWARE: PatentIn version 3.3
 24 <210> SEQ ID NO: 1
 25 <211> LENGTH: 6
 26 <212> TYPE: PRT
 27 <213> ORGANISM: Artificial sequence
 29 <220> FEATURE:
 30 <223> OTHER INFORMATION: Synthetic
 33 <220> FEATURE:
 34 <221> NAME/KEY: MISC_FEATURE
 35 <222> LOCATION: (1)..(1)
 36 <223> OTHER INFORMATION: Xaa can be Lys, Met, or Arg
 38 <220> FEATURE:
 39 <221> NAME/KEY: MISC_FEATURE
 40 <222> LOCATION: (3)..(3)
 41 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr
 43 <220> FEATURE:
 44 <221> NAME/KEY: MISC_FEATURE
 45 <222> LOCATION: (4)..(4)
 46 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr
 48 <220> FEATURE:
 49 <221> NAME/KEY: MISC_FEATURE
 50 <222> LOCATION: (5)..(5)
 51 <223> OTHER INFORMATION: Xaa can be Lys, Pro, Arg, Val, or Tyr
 53 <400> SEQUENCE: 1
 W--> 55 Xaa Lys Xaa Xaa Xaa Met
 56 1 5
 59 <210> SEQ ID NO: 2
 60 <211> LENGTH: 6
 61 <212> TYPE: PRT
 62 <213> ORGANISM: Artificial sequence

(pg.6)

ENTERED

RAW SEQUENCE LISTING

DATE: 08/20/2004

PATENT APPLICATION: US/10/774,147B

TIME: 14:54:19

Input Set : A:\10050-03USA.ST25.txt

Output Set: N:\CRF4\08202004\J774147B.raw

```

64 <220> FEATURE:
65 <223> OTHER INFORMATION: Synthetic
68 <220> FEATURE:
69 <221> NAME/KEY: MISC_FEATURE
70 <222> LOCATION: (4)..(4)
71 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr.
73 <220> FEATURE:
74 <221> NAME/KEY: MISC_FEATURE
75 <222> LOCATION: (5)..(5)
76 <223> OTHER INFORMATION: Xaa can be Lys, Pro, Arg, Val, or Tyr.
78 <220> FEATURE:
79 <221> NAME/KEY: MISC_FEATURE
80 <222> LOCATION: (6)..(6)
81 <223> OTHER INFORMATION: Xaa can be Met.
83 <400> SEQUENCE: 2
W--> 85 Lys Lys His Xaa Xaa Xaa
86 1 5
89 <210> SEQ ID NO: 3
90 <211> LENGTH: 6
91 <212> TYPE: PRT
92 <213> ORGANISM: Artificial sequence
94 <220> FEATURE:
95 <223> OTHER INFORMATION: Synthetic
98 <220> FEATURE:
99 <221> NAME/KEY: MISC_FEATURE
100 <222> LOCATION: (4)..(4)
101 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr.
103 <220> FEATURE:
104 <221> NAME/KEY: MISC_FEATURE
105 <222> LOCATION: (5)..(5)
106 <223> OTHER INFORMATION: Xaa can be Lys, Pro, Arg, Val, or Tyr.
108 <220> FEATURE:
109 <221> NAME/KEY: MISC_FEATURE
110 <222> LOCATION: (6)..(6)
111 <223> OTHER INFORMATION: Xaa can be Met.
113 <400> SEQUENCE: 3
W--> 115 Lys Lys Tyr Xaa Xaa Xaa
116 1 5
119 <210> SEQ ID NO: 4
120 <211> LENGTH: 6
121 <212> TYPE: PRT
122 <213> ORGANISM: Artificial sequence
124 <220> FEATURE:
125 <223> OTHER INFORMATION: Synthetic
128 <220> FEATURE:
129 <221> NAME/KEY: MISC_FEATURE
130 <222> LOCATION: (4)..(4)
131 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr.
133 <220> FEATURE:

```

RAW SEQUENCE LISTING

DATE: 08/20/2004

PATENT APPLICATION: US/10/774,147B

TIME: 14:54:19

Input Set : A:\10050-03USA.ST25.txt

Output Set: N:\CRF4\08202004\J774147B.raw

134 <221> NAME/KEY: MISC_FEATURE
 135 <222> LOCATION: (5)..(5)
 136 <223> OTHER INFORMATION: Xaa can be Lys, Pro, Arg, Val, or Tyr.
 138 <220> FEATURE:
 139 <221> NAME/KEY: MISC_FEATURE
 140 <222> LOCATION: (6)..(6)
 141 <223> OTHER INFORMATION: Xaa can be Met.
 143 <400> SEQUENCE: 4

W--> 145 Arg Lys Tyr Xaa Xaa Xaa

146 1 5
 149 <210> SEQ ID NO: 5
 150 <211> LENGTH: 6
 151 <212> TYPE: PRT
 152 <213> ORGANISM: Artificial sequence
 154 <220> FEATURE:
 155 <223> OTHER INFORMATION: Synthetic
 158 <220> FEATURE:
 159 <221> NAME/KEY: MISC_FEATURE
 160 <222> LOCATION: (4)..(4)
 161 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr.
 163 <220> FEATURE:
 164 <221> NAME/KEY: MISC_FEATURE
 165 <222> LOCATION: (5)..(5)
 166 <223> OTHER INFORMATION: Xaa can be Lys, Pro, Arg, Val, or Tyr.
 168 <220> FEATURE:
 169 <221> NAME/KEY: MISC_FEATURE
 170 <222> LOCATION: (6)..(6)
 171 <223> OTHER INFORMATION: Xaa can be Met.
 173 <400> SEQUENCE: 5

W--> 175 Met Lys Tyr Xaa Xaa Xaa

176 1 5
 179 <210> SEQ ID NO: 6
 180 <211> LENGTH: 6
 181 <212> TYPE: PRT
 182 <213> ORGANISM: Artificial sequence
 184 <220> FEATURE:
 185 <223> OTHER INFORMATION: Synthetic
 188 <220> FEATURE:
 189 <221> NAME/KEY: MISC_FEATURE
 190 <222> LOCATION: (1)..(1)
 191 <223> OTHER INFORMATION: Xaa can be Lys, Met, or Arg.
 193 <220> FEATURE:
 194 <221> NAME/KEY: MISC_FEATURE
 195 <222> LOCATION: (2)..(2)
 196 <223> OTHER INFORMATION: Xaa can be Lys.
 198 <220> FEATURE:
 199 <221> NAME/KEY: MISC_FEATURE
 200 <222> LOCATION: (3)..(3)
 201 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr.

RAW SEQUENCE LISTING

DATE: 08/20/2004

PATENT APPLICATION: US/10/774,147B

TIME: 14:54:19

Input Set : A:\10050-03USA.ST25.txt

Output Set: N:\CRF4\08202004\J774147B.raw

```

203 <400> SEQUENCE: 6
--> 205 Xaa Xaa Xaa His Lys Met
206 1 5
209 <210> SEQ ID NO: 7
210 <211> LENGTH: 6
211 <212> TYPE: PRT
212 <213> ORGANISM: Artificial sequence
214 <220> FEATURE:
215 <223> OTHER INFORMATION: Synthetic
218 <220> FEATURE:
219 <221> NAME/KEY: MISC_FEATURE
220 <222> LOCATION: (1)..(1)
221 <223> OTHER INFORMATION: Xaa can be Lys, Met, or Arg.
223 <220> FEATURE:
224 <221> NAME/KEY: MISC_FEATURE
225 <222> LOCATION: (2)..(2)
226 <223> OTHER INFORMATION: Xaa can be Lys.
228 <220> FEATURE:
229 <221> NAME/KEY: MISC_FEATURE
230 <222> LOCATION: (3)..(3)
231 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr.
233 <400> SEQUENCE: 7
--> 235 Xaa Xaa Xaa His Val Met
236 1 5
239 <210> SEQ ID NO: 8
240 <211> LENGTH: 6
241 <212> TYPE: PRT
242 <213> ORGANISM: Artificial sequence
244 <220> FEATURE:
245 <223> OTHER INFORMATION: Synthetic
248 <220> FEATURE:
249 <221> NAME/KEY: MISC_FEATURE
250 <222> LOCATION: (1)..(1)
251 <223> OTHER INFORMATION: Xaa can be Lys, Met, or Arg.
253 <220> FEATURE:
254 <221> NAME/KEY: MISC_FEATURE
255 <222> LOCATION: (2)..(2)
256 <223> OTHER INFORMATION: Xaa can be Lys.
258 <220> FEATURE:
259 <221> NAME/KEY: MISC_FEATURE
260 <222> LOCATION: (3)..(3)
261 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr.
263 <400> SEQUENCE: 8
--> 265 Xaa Xaa Xaa Tyr Lys Met
266 1 5
269 <210> SEQ ID NO: 9
270 <211> LENGTH: 6
271 <212> TYPE: PRT
272 <213> ORGANISM: Artificial sequence

```

RAW SEQUENCE LISTING

DATE: 08/20/2004

PATENT APPLICATION: US/10/774,147B

TIME: 14:54:19

Input Set : A:\10050-03USA.ST25.txt

Output Set: N:\CRF4\08202004\J774147B.raw

```

274 <220> FEATURE:
275 <223> OTHER INFORMATION: Synthetic
278 <220> FEATURE:
279 <221> NAME/KEY: MISC_FEATURE
280 <222> LOCATION: (1)..(1)
281 <223> OTHER INFORMATION: Xaa can be Lys, Met, or Arg.
283 <220> FEATURE:
284 <221> NAME/KEY: MISC_FEATURE
285 <222> LOCATION: (2)..(2)
286 <223> OTHER INFORMATION: Xaa can be Lys.
288 <220> FEATURE:
289 <221> NAME/KEY: MISC_FEATURE
290 <222> LOCATION: (3)..(3)
291 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr..
293 <400> SEQUENCE: 9
W--> 295 Xaa Xaa Xaa Tyr Pro Met
296 1 5
299 <210> SEQ ID NO: 10
300 <211> LENGTH: 6
301 <212> TYPE: PRT
302 <213> ORGANISM: Artificial sequence
304 <220> FEATURE:
305 <223> OTHER INFORMATION: Synthetic
308 <220> FEATURE:
309 <221> NAME/KEY: MISC_FEATURE
310 <222> LOCATION: (1)..(1)
311 <223> OTHER INFORMATION: Xaa can be Lys, Met, or Arg.
313 <220> FEATURE:
314 <221> NAME/KEY: MISC_FEATURE
315 <222> LOCATION: (2)..(2)
316 <223> OTHER INFORMATION: Xaa can be Lys.
318 <220> FEATURE:
319 <221> NAME/KEY: MISC_FEATURE
320 <222> LOCATION: (3)..(3)
321 <223> OTHER INFORMATION: Xaa can be His, Lys, or Tyr.
323 <400> SEQUENCE: 10
W--> 325 Xaa Xaa Xaa Tyr Val Met
326 1 5
329 <210> SEQ ID NO: 11
330 <211> LENGTH: 6
331 <212> TYPE: PRT
332 <213> ORGANISM: Artificial sequence
334 <220> FEATURE:
335 <223> OTHER INFORMATION: Synthetic
338 <220> FEATURE:
339 <221> NAME/KEY: MISC_FEATURE
340 <222> LOCATION: (1)..(1)
341 <223> OTHER INFORMATION: Xaa can be Lys, Met, or Arg.
343 <220> FEATURE:

```

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/10/774,147B

DATE: 08/20/2004
TIME: 14:54:20

Input Set : A:\10050-03USA.ST25.txt
Output Set: N:\CRF4\08202004\J774147B.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 1,3,4,5 ✓
Seq#:2; Xaa Pos. 4,5,6 ✓
Seq#:3; Xaa Pos. 4,5,6 ✓
Seq#:4; Xaa Pos. 4,5,6 ✓
Seq#:5; Xaa Pos. 4,5,6 ✓
Seq#:6; Xaa Pos. 1,2,3 ✓
Seq#:7; Xaa Pos. 1,2,3 ✓
Seq#:8; Xaa Pos. 1,2,3 ✓
Seq#:9; Xaa Pos. 1,2,3 ✓
Seq#:10; Xaa Pos. 1,2,3 ✓
Seq#:11; Xaa Pos. 1,2,3 ✓

VERIFICATION SUMMARY

DATE: 08/20/2004

PATENT APPLICATION: US/10/774,147B

TIME: 14:54:20

Input Set : A:\10050-03USA.ST25.txt

Output Set: N:\CRF4\08202004\J774147B.raw

L:15 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:55 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:85 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
L:115 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:145 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:175 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:205 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:235 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
L:265 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:295 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
L:325 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
L:355 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:0